

KillTest

質量更高 服務更好



練習題

<https://www.killtest.net>

一年免費更新服務

Exam : 000-972

Title : ILE RPG Programmer

Version : Demo

1.Which of the following operation codes is supported in both fixed form and /Free form?

- A.CALL
- B.EVALR
- C.ALLOC
- D.EXTRCT

Answer:B

2.Which of the following SQL statements, when used by itself in an RPG program, can take the place of a File Specification, a key and a CHAIN?

- A.FETCH
- B.SELECT INTO
- C.DECLARE CURSOR
- D.PREPARE STATEMENT

Answer:B

3.Given the following code sample, what value is displayed? D MyDS DS D FieldA 5A Inz('XXXXX') /free
FieldA = 'VWXYZ'; Reset FieldA; Dsply ('FieldA=' + FieldA); *INLR = *On; BegSR *InzSR; FieldA =
'ABCDE'; EndSR;

- A.FieldA=
- B.FieldA=VWXYZ
- C.FieldA=ABCDE
- D.FieldA=XXXXXX

Answer:C

4.Which of the following is an advantage gained by using a prototype and CALLP for a program call in place of CALL and PARM operations?

- A.Ability to qualify the name of the program being called
- B.Ability to have the compiler validate the parameters being passed
- C.Ability to use a variable to contain the name of the program to be called
- D.Ability to statically bind a program object to its caller for better performance

Answer:B

5.What is the purpose for the following reserved words? XML_START_ELEMENT XML_COMMENT
XML_CHARS XML_END_ELEMENT

- A.Aids in parsing XML using the DOM (Document Object Model).
- B.Indicates the type of data entity to create during XML generation.
- C.Aids in interpreting the event parameter in an event handling procedure.
- D.Indicates to the parser which events your handler should be notified of.

Answer:C

6.Given the following code sample:
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++ d CustPrice pr 9
3 d Company 3 0 const d Item 20 d Contract 10 options(*omit) d Quantity 7 0 options(*nopass) d MyPrice
s 9 3 d MyCompany s 3 0 d MyItem s 20 d MyContract s 10 d MyQty s 7 0 Which of the following is a valid
expression?

- A.MyPrice = CustPrice(1 : MyItem : *omit);
- B.MyPrice = CustPrice(1 : MyItem : : MyQty);
- C.MyPrice = CustPrice(MyCompany : MyItem : *omit : *nopass);
- D.MyPrice = CustPrice(MyCompany : MyItem : MyContract : *omit);

Answer:A

7. Given the following code sample: `d NotLate PR ExtPgm('LARRY') d RqDta 32767a d RqLen 10i 0 d RqTyp 10i 0` Which of the following is the correct code to call the program Larry?

- A. `call NotLate(RequestData : RequestLength : RequestType);`
- B. `callb NotLate(RequestData : RequestLength : RequestType);`
- C. `callp NotLate(RequestData : RequestLength : RequestType);`
- D. `C CALL 'NOTLATE' C PARM RequestData C PARM RequestLength C PARM RequestType`

Answer:C

8. File CUSMS contains a field named CMCSNO. Which of the following file specification keywords will allow the program to recognize this field as CUSTCSNO?

- A. `PREFIX(CUST)`
- B. `PREFIX(CUST:2)`
- C. `RENAME(CM:CUST)`
- D. `RENAME(CMCSNO:CUSTCSNO)`

Answer:B

9. A service program comprised of 6 modules has a custom signature. A new procedure with the `EXPORT` keyword has been added to one of the module sources. This procedure is not yet referenced by any programs. Which of the following is the correct sequence of tasks required?

- A. Recompile *MODULE, modify binder source, update *SRVPGM
- B. Recompile *MODULE, modify binder source, update *SRVPGM, recreate dependent programs
- C. Modify binder source, update *SRVPGM, recompile *MODULE, recreate *PGM objects bound to the *SRVPGM
- D. Recompile *MODULE, update *SRVPGM, modify binder source, recreate *PGM objects bound to the *SRVPGM

Answer:A

10. Given the following code sample:
`DName+++++ETDsFrom+++To/L+++IDc.Keywords+++++D`

`ElementsAllocatedS... D S 10i 0` Which of the following best describes `ElementsAllocatedS`?

- A. A syntax error
- B. A long field name
- C. A data structure
- D. A qualified field name

Answer:B