

KillTest

質量更高 服務更好



學習資料

<http://www.killtest.net>

一年免費更新服務

Exam : **190-982**

Title : Administering IBM Lotus
Quickr 8.1 Services for
WebSphere Po

Version : Demo

1. Gregory is configuring the People Finder for his company's Lotus Quickr environment. He is assigning fields to be shown by the People Finder. In which of the following locations are the fields that correspond to the attributes defined?

- A.qpconfig.xml
- B.Member Manager
- C.CSEnvironment.properties
- D.Person Attribute Service Object

Answer: B

2. You have configured multiple instances of Lotus Quickr on a single WebSphere Application Server. To configure each, you must access Lotus Quickr via a Web browser to a fully qualified domain name, followed by the port. Which of the following is the default transport port that is created by WebSphere Application Server?

- A.80
- B.8088
- C.10038
- D.18808

Answer: C

3. To simplify default role assignments to be propagated to all individual resources through inheritance, which of the following would you utilize?

- A.Role ranges
- B.Domain XMLAccess
- C.Virtual resources
- D.Image propagation

Answer: C

4. Policies for Lotus Quickr are grouped in which of the following manners?

- A.According to alphabetical order
- B.According to the types of resources

- C.According to who created the policies
- D.According to the sort order for the Lotus Quickr libraries

Answer: B

5. To support Portal Search in a clustered architecture, the search service should be installed in which of the following?

- A.Locally
- B.Remotely
- C.On each node
- D.On the Web server

Answer: B