

# *KillTest*

質量更高 服務更好



## 學習資料

<http://www.killtest.net>

一年免費更新服務

**Exam** : **9A0-066**

**Title** : Adobe ColdFusion 8 ACE  
Exam

**Version** : DEMO

1.You have a ColdFusion Component with a function that returns the total number of arguments passed into this function. You want to expose this function as a Web service. Which tags and attributes should you use?

- A.The tag with the invokeargument attribute.
- B.The tag with the name and component attributes.
- C.The tag with the component and method attributes.
- D.The tag with the returntype and access attributes.

Answer:D

2.You create an RSS feed by using the following code: < do you should What attribute. query="orderSelections#" the by specified object a in rows as entries and structure metadata put to need You outputFile="eeds/createOrderSel.xml" columnMap="colMapStructure#" action="reate">

- A.Add the name attribute.
- B.Delete the columnMap attribute.
- C.Change the outputFile path.
- D.Add a properties attribute.

Answer:D

3.You write the following code to consume a Web service. However, the code is not working. What should you do to correct this code?

- A.Use boolean as the returnvariable.
- B.Use the webservice attribute instead of the component attribute.
- C.Use the tag instead of the tag.
- D.Use a different method name.


Answer:B

4.You have a Web page that you want to display in a PDF document format. Which tag should you use?

- A.The tag.
- B.The < tag.
- C.The tag.
- D.The tag with the tag.

Answer:B

5.You are using a file structure as shown in the Exhibit.



- A.The ACF-DB folder.
- B.The oneInch folder.
- C.The root of the hard drive.
- D.The screws folder.

Answer:C

6.You write code that changes a value in the application scope. You are using the tag to prevent race conditions and do not want to lock the entire application scope. What should you do?

- A.Use the name attribute.
- B.Use the type attribute.
- C.Use the timeout attribute.
- D.Use the output attribute.

Answer:A

7.You are using four scopes within a pageRL, Variables, Form, and CGI. Which of these four scopes is checked first by ColdFusion?

- A.URL
- B.Variables
- C.Form
- D.CGI

Answer:B

8.You want to use session variables in an application. You have a single Application.cfm file that you use in the application. You have enabled session management in the ColdFusion Administrator. What should you do to enable session variables within your application?

- A.Use the tag with sessionManagement=true.
- B.Use the tag with the This scope.
- C.Use the tag with the Session scope.
- D.Use the tag in the onApplicationStart() method.

Answer:A

9.You use the tag in an application named orderSupplies. You receive an error when this code is executed. What is causing this error?

- A.The application scope with the exclusive attribute.
- B.The units for the timeout attribute.
- C.The use of name and scope in the tag.
- D.The use of dot syntax in the name attribute.

Answer:C

10.You want to keep track of the number of visitors on your Web site at any given time. Which variable scope allows you to do this?

- A.The session scope.
- B.The request scope.
- C.The application scope.
- D.The cookie scope.

Answer:C

11.Which statement about the following code is true? 1) 2) 3) 4)c = 10 5) 6)d=15 7)

- A.The left and right sides of the OR are evaluated and both must be true in order for variable c to be assigned.
- B.Variable c will be assigned with a value of 10.
- C.Variable d will be assigned with a value of 15.
- D.An error will occur.

Answer:D

12. You create the following user-defined function. You execute the code, but it does NOT work properly. Why is your function not working?

- A. The function name is NOT unique.
- B. You CANNOT use `<cfscript>` inside a function.
- C. The tag does NOT have a type attribute.
- D. You do NOT have a tag.

Answer: D

13. What should you do in the following code to create a loop that outputs only even numbers between 2 and 100?

- A. Add a step attribute of 2 in the opening tag.
- B. Add a conditional statement.
- C. Replace the `i` in the index attribute with `i + 2`.
- D. Use the Query loop with the tag.

Answer: A

14. You write a user-defined function that contains the following code. What happens when you run this code?

- A. A file named `message.txt` is created with the read permissions.
- B. The file named `message.txt` is converted to binary object in memory.
- C. The EUC-KR charset is applied to the file and output is sent to Message variable.
- D. The character encoding is set to Message.

Answer: C

15. Which ColdFusion built-in function can invoke a component method in the same line of code that instantiates the component?

- A. `Int()`
- B. `CreateUUID()`
- C. `CreateObject()`
- D. `IsInstanceOf()`

Answer: C

16. You declare some variables within a ColdFusion Component (CFC) directly below the tag by using the `THIS` scope. How long does a variable exist in the `THIS` scope?

- A. For the life of the page request.
- B. Until one of the functions on the page is called.
- C. Until a function call is completed from the page that invoked the CFC.
- D. For the life of the component instance.

Answer: D

17. What are the three thread scopes that each thread contains when using the tag?

- A. The Local, This, and Session scopes.
- B. The Caller, Thread, and Attributes scopes.
- C. The Application, Thread, and Caller scopes.
- D. The thread-local, Thread, and Attributes scopes.

Answer: D

18. You use the tag to display the results of the cache for a particular page. You find the results are not stored regularly. Which attribute should you use with the tag to control how long the results are stored?

- A.Add the timeout attribute.
- B.Add the action attribute.
- C.Add the expireurl attribute.
- D.Add the timespan attribute.

Answer:D

19.You are caching queries in your application. You find that NOT all queries are being cached. What should you do?

- A.Add the cachedwithin attribute to the tag.
- B.Use the tag.
- C.Use the tag.
- D.Raise the number on the caching page in the ColdFusion Administrator.

Answer:D

20.You have a block setup to handle code that has issues in your application. What type of errors can be handled by using ?

- A.All errors except specific syntax errors.
- B.Only missing includes.
- C.Only application or database errors.
- D.All ColdFusion error type.

Answer:A