KillTest

質量更高　服務更好

學習資料

http://www.killtest.net

一年免費更新服務

Exam : CAU302

Title : CyberArk Defender + Sentry

Version : DEMO

1.To support a fault tolerant and high-availability architecture, the Password Vault Web Access (PVWA) servers need to be configured to communicate with the Primary Vault and Satellite Vaults.
What file needs to be changed on the PVWA to enable this setup?
A. Vault.ini
B. dbparm.ini
C. pvwa.ini
D. Satellite.ini
Answer: A

2.Auto-Detection can be configured to leverage LDAP/S.
A. TRUE
B. FALSE
Answer: A

3.Vault admins must manually add the auditors group to newly created safes so auditors will have sufficient access to run reports.
A. TRUE
B. FALSE
Answer: B

4.When a group is granted the 'Authorize Account Requests' permission on a safe Dual Control requests must be approved by:
A. Any one person from that group
B. Every person from that group
C. The number of persons specified by the Master Policy
D. That access cannot be granted to groups
Answer: C

5.When creating an onboarding rule, it will be executed upon.
A. All accounts in the pending accounts list.
B. Any future accounts discovered by a discovery process.
C. All accounts in the pending accounts list and any future accounts discovered by a discovery process.
Answer: B
Explanation:
Reference:
https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Managing-Discovery-Processes.htm