KillTest

質量更高　服務更好



練習題

https://www.killtest.net

一年免費更新服務

Exam : **FCP_FML_AD-7.4**


Title : FCP - FortiMail 7.4 Administrator

Version : DEMO

1.Which traditional SMTP encryption method is commonly used to secure email transmission between servers?
A. HTTPS
B. S/MIME
C. TLS (Transport Layer Security)
D. SSH
Answer: C

2.Which part of the email header contains the recipient's email address?
A. To field
B. CC field
C. From field
D. Subject field
Answer: A

3.Refer to the exhibit which displays the domain configuration of a transparent mode FortiMail device.



Based on the exhibit, which two sessions are considered incoming sessions? (Choose two.)
A. DESTINATION IP: 172.16.32.56 MAIL FROM: mis@hosted.net RCPT TO: noc@example.com
B. DESTINATION IP: 192.168.54.10 MAIL FROM: accounts@example.com RCPT TO: sales@example.com
C. DESTINATION IP: 10.25.32.15 MAIL FROM: training@example.com RCPT TO: students@external.com
D. DESTINATION IP: 172.16.32.56 MAIL FROM: support@example.com RCPT TO: marketing@example.com
Answer: AD

4.What is the primary goal of email security in the context of network communication?
A. Increasing email delivery speed
B. Encrypting email attachments
C. Ensuring the confidentiality and integrity of email communication
D. Reducing the size of email attachments
Answer: C

5.When deploying FortiMail in transparent mode, which of the following statements are true? (Select all that apply)
A. FortiMail acts as an intermediary for email traffic.
B. Email attachments are automatically encrypted.
C. Transparent mode requires changes to the mail server's IP address.
D. FortiMail's functions are hidden from the email server.
E. Transparent mode is suitable for organizations with complex email infrastructures.
Answer: AD