

KillTest

質量更高 服務更好



練習題

<https://www.killtest.net>

一年免費更新服務

Exam : H13-611-ENU

Title : HCNA-Storage-BSSN(Building the Structure of Storage Network)

Version : DEMO

1.S5000T at system startup or insert system disk (or management module), after 10 minutes, make sure the system start completely normal, then can operate the upgrade..

- A.True
- B.False

Answer: A

2.About the disaster recovery and the data backup, which is true?

- A.disaster recovery is the data backup.
- B.disaster recovery is a method of data backup.
- C.the data backup is the foundation of disaster recovery.
- D.all above are not correct..

Answer: C

3.S5500T System is configured a RAID group, RAID group may downgrade, why? (Select 3 Answers)

- A.RAID group member disc was uprooted
- B.RAID group member disc is replaced by other different types of hard disk
- C.RAID group member disc in bad failure fault or others result to speaking, reading and writing
- D.RAID group member disc is set to hot spare disk

Answer: A, B, C

4.linux Which of the following command can be used when uninstall packages?

- A.kill
- B.unstallp
- C.unload
- D.rpm -e

Answer: D

5.Create a common LUN, which parameters can only be created when modified, after create cannot be modified (Select two Answers)

- A.the names of the LUN
- B.Striping depth of the LUN
- C.ownership of the controller f the LUN
- D.capacity

Answer: B, D

6.A complete, normal RAID5, its member disc include the real data information and validation data information.

- A.True
- B.False

Answer: A

7.The process of configure storage system is create LUN first then create RAID.

- A.True
- B.False

Answer: B

8.Can replaceable units of Huawei SAN storage products (Select 3 Answers)

- A.hard disk
- B.the controller
- C.power supply fan
- D.CPU

Answer: A, B, C

9.Data redundancy in RAID1 is approved in which technical?

- A.OX
- B.Hamming Code check
- C.P+Q double check
- D.the mirror

Answer: D

10 How many hard disk at least need when create RAID10?

- A.1
- B.2
- C.3
- D.4

Answer: C

11.Both large number of random access to business data and strict in data security scenario, which raid levels is suitable for use?

- A.RAID0
- B.RAID1
- C.RAID3
- D.RAID10

Answer: D

12.RAID0 is often called stripe, RAID0 allow damage to the data of member hard disk is not lost.

- A.True
- B.False

Answer: B

13.Windows " disk management" requires all dynamic disk and GUID partition table (GPT) disk all use NTFS file system.

- A.True
- B.False

Answer: A

14.when S5600T and S6800T on power failure, built-in BBU can offer power supply to safe box disc.
To ensure that the dirty data in safe box disc without losing.

A.True

B.False

Answer: B

15.Only 2 hard disk on storage device, which RAID level can choose to create? (Select 2 Answers)

A.RAID3

B.RAID0

C.RAID1

D.RAID6

Answer: B, C

16.Which method that Huawei storage products maintenance tool package can access to?

A.local service manager

B.400 response center

C.huawei support website

D.dealer

Answer: C

17.Which the following items must include in when to apply for license file for storage system (Select 2 Answers)

A.contract no.

B.control box serial number

C.customer name

D.LAC code

Answer: B, D

18.which type of host port is not included in S2600 series storage array? ()

A.SAS

B.FC

C.iSCSI

D.SATA

Answer: D

19.Under configure export functionality in S5000T storage array, which format of configuration file? ()

A..DAT

B..EXE

C..TXT

D..DOC

Answer: A

20.According to SHARE 78 international organizations, how many grades of disaster recovery can divided into?

A.5

B.6

C.7

D.8

Answer: C