

# *KillTest*

質量更高 服務更好



## 學習資料

<http://www.killtest.net>

一年免費更新服務

**Exam : HP2-T11**

**Title : Industry Standard**

**Version : DEMO**

1.Which statement best describes PCI Express architecture?

- A. Data is sent in parallel
- B. Data is sent serially over each link
- C. PCI Express has more pins than PCI-X
- D. PCI Express transfers data in half-duplex

Answer: B

2.Which statement is correct when comparing similar versions of Intel Xeon and AMD Opteron processors'?

- A. Xeon processors are optimized for parallel execution
- B. Opteron processors are optimized for parallel execution
- C. Opteron processors use a Northbridge that operates at core bus speed
- D. Xeon processors use an integrated memory controller that operates at core processor speed

Answer: B

3.A customer asks you for information about the advantages of RAID 6 over other RAID levels What can you recommend? (Select three)

- A. Performance is equivalent to RAID 5 when reading data.
- B. It is the most cost-effective of the fault-tolerant RAID solutions.
- C. It has greater faulttolerance than RAID4, RAID 1+0, or RAID5.
- D. It uses the most storage capacity for fault tolerance of all the RAID levels.
- E. it is ideal for applications requiring large logical drives with many physical drives.

Answer: ACE

4.What is a characteristic of a PCI-X-based bus?

- A. You cannot use PCI-X cards in a conventional PCI system
- B. It is fully backward compatible with conventional PCI devices
- C. You cannot use existing PCI devices in a PCI-X-based system
- D. It is compatible with conventional PCI devices only after updating to newer drivers

Answer: B

5.What is the difference between single-ended SCSI and differential SCSI?

- A. Single-ended uses twisted pair wires
- B. Differential is more susceptible to noise
- C. Differential uses a single signal wire and has length limitations
- D. Single-ended uses a single signal wire and has length limitations

Answer: D

6.Which statements apply to AMD 2P or 4P system architecture? (Select three )

- A. Each processor can access only its own memory
- B. Requests for memory access are handled by the Northbridge ASIC
- C. Each processor can access the full complement of installed memory
- D. Memory must be installed in banks corresponding to the installed processors
- E. The maximum amount of memory can be installed, regardless of the number of installed processors

F. Requests for memory access are handled directly by the corresponding processor and relayed through the HyperTransport Ink

Answer: ADF

7.What is a characteristic of Double Data Rate (DDR) RAM?

- A. sends data every other clock cycle
- B. sends data on the rising edge of the clock cycle only
- C. sends data on the falling edge of the clock cycle only
- D. sends data on both the rising and falling edge of each clock cycle

Answer: D

8.What happens if you install a 66MHz, 32-bit PCI card in a 33MHz, 64-bit PCI slot? (Select two)

- A. The 66MHz card operates at 33MHz
- B. The 66MHz, 32-bit card operates at 33MHz in 32-bit mode
- C. The 66MHz, 32-bit card operates at 33MHz in 64-bit mode
- D. Any 33MHz, 64-bit cards on the PCI bus operate like 33MHz, 32-bit cards

Answer: AB

9.What is an advantage of using iSCSI?

- A. it enables the use of SCSI cables for Ethernet communications
- B. it enables the use of SAS and SATA drives using standard SCSI controllers
- C. It overcomes the inability to use shared storage devices in a heterogeneous environment
- D. It overcomes the distance limitations associated with standard Fibre Channel storage transport

Answer: A

10.In systems with AMD processors, what allows communication between processors and the I/O subsystem?

- A. APIC
- B. Northbridge
- C. Southbridge
- D. HyperTransport Ink

Answer: D

11.A customer has an existing mission critical database application using approximately 20TB of network storage and plans to add a web server component to the existing environment to increase the storage by 50% Which tape storage technology would you recommend?

- A. Autoloader
- B. Travan Tape System
- C. business-class library
- D. enterprise-class library

Answer: C

12.In systems with AMD processors, what allows communication between processors and the I/O subsystem?

- A. APIC
- B. Northbridge
- C. Southbridge
- D. HyperTransport Ink

Answer: D

13.How does the operation of RAID memory differ from RAID 5 disk storage? (Select three)

- A. Data is written sequentially to all banks of memory
- B. Data is written simultaneously to all banks of memory
- C. Existing parity information must be read before calculating the new parity value
- D. There is no need to read the existing parity before calculating a new parity value
- E. The memory controller writes parity information to a dedicated parity bank of DIMMs

Answer: BDE

14.Which backup type would you recommend if a customer environment requires saving the latest version of each file?

- A. full
- B. copy
- C. differential
- D. incremental

Answer: D

15.What best describes PCI-X architecture?

- A. 32-bit bus that runs at speeds of up to 66MHz
- B. 64-bit bus that runs at speeds of up to 66MHz
- C. 64-bit bus that runs at speeds of up to 133MHz
- D. 32-bit bus that runs at speeds of up to 133MHz

Answer: C

16.The system administrator typically performs a full backup every Monday and incremental backups on Tuesdays, Wednesdays, and Thursdays In addition, full backups are performed at the end of the week and at the end of the month

Which GFS term refers to the monthly full backup?

- A. son
- B. sister
- C. father
- D. grandfather

Answer: D

17.Which system architecture is displayed?

- A. Dual Peer I/O Bus (DPIO)
- B. Triple Peer I/O Bus (TPIO)
- C. Highly Parallel System Architecture (HPSA)
- D. Memory and I/O Controller Architecture (MIOC)

Answer: C

18.What is the maximum number of nodes supported in a Fibre Channel Switched Fabric (FC-SW) environment?

- A. 125
- B. 126
- C. 15 million
- D. 16 million

Answer: D

19.Serial Attached SCSI (SAS) technology uses the same electrical and physical interface as which technology?

- A. IDE
- B. ATA
- C. iSCSI
- D. SATA

Answer: D

20.Which RAID implementation allows for simultaneous failure of multiple drives?

- A. RAID0
- B. RAID 4
- C. RAID 5
- D. RAID 6

Answer: D