

KillTest

質量更高 服務更好



練習題

<https://www.killtest.net>

一年免費更新服務

Exam : Plat-Dev-210

**Title : Salesforce Certified
OmniStudio Developer**

Version : DEMO

1.A developer creates a DataRaptor Extract to retrieve data to pass to an external service. The external service expects the field value to be an integer. However, the DataRaptor is sending it as a string. Which action can the developer take to fix this?

- A. In the DataRaptor Output tab, select the Output Data Type of that field to Integer.
- B. In the DataRaptor Output tab, enter the default value as 0 on the field.
- C. In the DataRaptor Extract tab, set the Input Data Type field to Integer.
- D. In the DataRaptor Formula tab, define a formula using the function TOINTEGER and use the formula as output.

Answer: D

Explanation:

The DataRaptor Formula tab allows the developer to define formulas using functions and operators to manipulate data. The TOINTEGER function converts a string value to an integer value. The developer can use this function to output the field value as an integer and use the formula as output

2.Which two of these options can a developer use to retrieve data from a Salesforce object?

Choose 2 answers

- A. A DataRaptor Load Action
- B. A DataRaptor Extract Action
- C. A Lookup Input Element
- D. A DataRaptor Post Action

Answer: A,C

Explanation:

A DataRaptor Load Action can be used to retrieve data from a Salesforce object by specifying the object name, fields, and filter criteria. A Lookup Input Element can be used to retrieve data from a Salesforce object by allowing the user to search for a record using a lookup field

3.A company wants to allow agents to send customers a quote for signature. The quote is a document created using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature.

How should a developer configure this functionality in OmniScript?

- A. DocuSign Envelope Action
- B. PDF Acwm
- C. DocuSign Signature Action
- D. Email Action

Answer: A

Explanation:

A DocuSign Envelope Action can be used to create and send a document for signature using a DocuSign template. The developer can specify the template ID, recipient details, and prefill data in the action configuration

4.In a calculation procedure, what is required for the output of a calculation step to be used in an aggregation step?

- A. It must be included in constants.
- B. It must be a matrix lookup step.

- C. It must be a calculation step.
- D. It must be included in the calculation output.

Answer: D

Explanation:

In a calculation procedure, the output of a calculation step must be included in the calculation output in order to be used in an aggregation step. The calculation output defines the variables that are available for aggregation

5.A developer needs to configure a calculation procedure to calculate the sum of the entire base price. What is the most efficient way for the developer to meet this requirement?

- A. Create a Postprocessor apex class to calculate the sum.
- B. Add an Aggregation Step as SUM (BasePrice)
- C. Add A Calculation Step as SUM (BasePrice).
- D. Create a Preprocessor class to calculate the sum

Answer: B

Explanation:

The Aggregation Step in a calculation procedure allows the developer to perform aggregate functions such as SUM, COUNT, MIN, MAX, and AVG on the output of a previous step. The developer can use this step to calculate the sum of the entire base price by specifying the field name and the aggregation function