

KillTest

質量更高 服務更好



學習資料

<http://www.killtest.net>

一年免費更新服務

Exam : **VCS-261**

Title : Administration of Veritas
InfoScale Storage 7.3 for
UNIX/Linux

Version : DEMO

1.Which two methods can an administrator use to control the Veritas SmartIO caching of a file system?

(Choose two.)

- A. the smartiomode mount option
- B. the mincache mount option
- C. the sfcache command
- D. the vxcache command
- E. the fsadm command

Answer: A,C

2.An administrator uses the command below to create a file system on a volume appvol.

```
# /opt/VRTS/bin/mkfs -t vxfs /dev/vx/rdisk/appdg/appvol 2TB
```

What is the block size of the file system?

- A. 1024
- B. 2048
- C. 4096
- D. 8192

Answer: A

3.An administrator executes the following command to initiate a deduplication dry run on the file system /mnt1 and perform the actual deduplication if the threshold crosses 60 percent:

```
# fsdedupadm dryrun -o threshold=60 /mnt1
```

Which threshold should be met of the fsdedupadm command to perform an actual deduplication run?

- A. the percentage of file system disk usage
- B. the percentage of expected savings
- C. the percentage of scan completed
- D. the percentage of the dry run completed

Answer: B

4.Which two physical system resources are assigned to a specific site during the configuration of the site awareness feature? (Choose two.)

- A. Disks
- B. HBA
- C. NIC
- D. Memory
- E. System

Answer: A,B

5.What is a benefit of Veritas Extension for Oracle Disk Manager (ODM) for Oracle databases that reside on Veritas file systems?

- A. reduced system call overhead
- B. support for large file sizes
- C. improved synchronous writes
- D. enhanced data integrity

Answer: A