

# *KillTest*

質量更高 服務更好



## 學習資料

<http://www.killtest.net>

一年免費更新服務

**Exam : 98-367**

**Title : Security fundamentals**

**Version : DEMO**

1.Windows Firewall is a built-in. host-based, stateless firewall.

Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.


- A. Stateful
- B. Network layer
- C. Packet filter
- D. No change is needed

**Answer:** A

## 2.HOTSPOT

Alice sends her password to the game server in plaintext.

Chuck is able to observe her password as shown in the following image:



Use the drop-down menus to select the answer choice that completes each statement. Each correct selection is worth one point.

### Answer Area

The scenario demonstrated is a(n) **[answer choice]** attack.

<input type="text"/>
man in the middle
eavesdropping
denial of service

Alice should **[answer choice]** to avoid this type of attack.

<input type="text"/>
never send a plaintext password
only send passwords in plaintext to well-known companies
only send passwords in plaintext over the local network

**Answer:**

### Answer Area

The scenario demonstrated is a(n) **[answer choice]** attack.

<input type="text"/>
man in the middle
eavesdropping
denial of service

Alice should **[answer choice]** to avoid this type of attack.

<input type="text"/>
never send a plaintext password
only send passwords in plaintext to well-known companies
only send passwords in plaintext over the local network

### 3.HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.

#### Answer Area

	Yes	No
IPsec requires network applications to be IPsec aware.	<input type="radio"/>	<input type="radio"/>
IPsec encrypts data.	<input type="radio"/>	<input type="radio"/>
IPsec adds overhead for all network communications for which it is used.	<input type="radio"/>	<input type="radio"/>

Answer:

#### Answer Area

	Yes	No
IPsec requires network applications to be IPsec aware.	<input type="radio"/>	<input checked="" type="radio"/>
IPsec encrypts data.	<input checked="" type="radio"/>	<input type="radio"/>
IPsec adds overhead for all network communications for which it is used.	<input checked="" type="radio"/>	<input type="radio"/>

### 4.HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.

**Answer Area**

	Yes	No
Honey pots are primarily used to attract potential attackers or hackers.	<input type="radio"/>	<input type="radio"/>
By setting up a honey pot, an administrator can get insightful information about the attacker, such as the IP address.	<input type="radio"/>	<input type="radio"/>
A honey pot is an appliance or piece of software that allows or denies network access based on a preconfigured set of rules.	<input type="radio"/>	<input type="radio"/>

**Answer:**

**Answer Area**

	Yes	No
Honey pots are primarily used to attract potential attackers or hackers.	<input checked="" type="radio"/>	<input type="radio"/>
By setting up a honey pot, an administrator can get insightful information about the attacker, such as the IP address.	<input checked="" type="radio"/>	<input type="radio"/>
A honey pot is an appliance or piece of software that allows or denies network access based on a preconfigured set of rules.	<input type="radio"/>	<input checked="" type="radio"/>

5. Bridging is a process of sending packets from source to destination on OSI layer 3.

Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Routing
- B. Switching
- C. Repeating
- D. No change is needed.

**Answer:** A